Google scholar   [simulation time step random sequence]   Search   Advanced Scholar Search
                                                                   Scholar Preferences

Scholar All articles Recent articles   Results **1 - 10** of about **478,000**. (0.24 sec)

Inference from iterative **simulation** using multiple **sequences** - ▶ duke.edu [PDF]
A Gelman, DB Rubin - Statistical Science, 1992 - jstor.org
... In such cases, the iterative **simulation** algorithm itself may ... 1993) or improving the
jumping **step** in the ... analysis or understanding of the **time**-series structure ...
Cited by 2014 - Related articles - BL Direct - All 9 versions

... -SE: A program for improved detection of transfer RNA genes in genomic **sequence** -
▶ nih.gov [PDF]
TM Lowe, SR Eddy - Nucleic Acids Research - Oxford Univ Press
... combined false positive rate is about five **times** that of ... The **step**-wise algorithm
uses four ... Two types of **random sequence** databases were created to test false ...
Cited by 1852 - Related articles - BL Direct - All 16 versions

Parallelism in **random** access machines - ▶ cornell.edu [PS]
S Fortune, J Wyllie - Proceedings of the tenth annual ACM symposium on ..., 1978 - portal.acm.org
... A parallel **random** access machine (P-RAM) con- sists of ... For each **time step** and each
pair of processors, ACC ... The correctness of the **simulation** follows from the ...
Cited by 718 - Related articles - All 13 versions

Time-bounded **random** access machines - ▶ helsinki.fi [PDF]
SA Cook, RA Reckhow - Proceedings of the fourth annual ACM symposium on ..., 1972 - portal.acm.org
... in T(n) **steps**, the **time** it takes the RAM to access this farthest tape square is
O((T(n))) Thus the total **time** for the **simulation** of T(n) **steps** is 0 (T (n ...
Cited by 191 - Related articles - All 4 versions

[PDF] ▶ How does a protein fold?
A Sali, E Shakhnovich, M Karplus - nature, 1994 - brics.dk
... According to a molecular dynamics **simulation** of nature hydrated ... stage mechanism yields
a rate-determining **step** of 1012 ... would correspond to a folding **time** to a ...
Cited by 575 - Related articles - BL Direct - All 16 versions

Finding structure in **time** - ▶ byu.edu [PDF]
JL Elman - Cognitive Science: A Multidisciplinary Journal, 1990 - informaworld.com
... In this **simulation**, the goal is to find the temporal structure of ... memory which extends
only one bit back in time, and has ... The **sequence** was formed in two **steps**. ...
Cited by 4061 - Related articles - All 62 versions

The node distribution of the **random** waypoint mobility model for wireless ad hoc networks
C Bettstetter, G Resta, P Santi - IEEE Transactions on Mobile Computing, 2003 - doi.ieeecomputersociety.org
... of RWP nodes, this paper is a further step in the ... that a node remains static for
the entire **simulation time**. ... This distribution does not change over **time** and is ...
Cited by 314 - Related articles - BL Direct - All 17 versions

Proteins with selected **sequences** fold into unique native conformation
EI Shakhnovich - Physical review letters, 1994 - ...
... 17] that such a move set makes cubic lattice **simulation** ergodic. ... the unique target
conformation with mean first passage folding **time** close to 106 MC **steps**. ...
Cited by 277 - Related articles - BL Direct - All 7 versions

Gapped BLAST and PSI-BLAST: a new generation of protein database search programs -

▶ **nih.gov** [PDF]

SF Altschul, TL Madden, AA Schaffer, J Zhang ... - Nucleic acids research, 1997 - Oxford Univ Press
... The **times** required by various **steps** of the BLAST algorithm ... arbitrary scoring system,
for which no **simulation** has been ... and it is likely that over **time** some of ...
Cited by 30463 - Related articles - BL Direct - All 168 versions

Parallel **random** number generation for VLSI systems using cellular automata

PD Hortensius, RD McLeod, HC Card - IEEE Transactions on Computers, 1989 - ieeexplore.ieee.org
... special purpose accelerators for Monte Carlo **simulation** of large ... where T = number
of **random** number tests N = number ... On the next **time step**, there are two bits ...
Cited by 124 - Related articles - All 5 versions

Goooooooooogle ▶

Result Page: 1 **2** **3** **4** **5** **6** **7** **8** **9** **10**   **Next**

| simulation time step random sequen | Search |

Google scholar   random discrete event sequence   Search   Advanced Scholar Search
Scholar Preferences

Scholar All articles Recent articles

Results **1 - 10** of about **319,000**. (0.12 sec)

[BOOK] **Discrete event** systems
CG Cassandras - 1993 - Springer
... **Discrete-Event** Systems 79 ... real numbers {$v_{i,1}$,$v_{i,2}$,...} for each **event** i, but
rather a distribution function, denoted by F_i , which describes the **random** ...
Cited by 1415 - Related articles - All 9 versions

Asymptotic behavior of **random discrete event** systems
JAC Resing, RE de Vries, G Hooghiemstra, ... - Decision and Control, 1989., Proceedings of the 28th ..., 1989 -
ieeexplore.ieee.org
... system, which is described by (2.21) will be called a **random discrete event** dynamical
system. ... article is to show under suitable conditions that the **sequence** z(k ...
Cited by 32 - Related articles - All 4 versions

Concepts and methods in **discrete event** digital simulation
GA Mihram - Technometrics, 1975 - JSTOR
... better the system and its **random** behaviour (systemic ... both continuous-change and
discrete-event phenomena simultaneously ... to ensure that the **sequence** of interest ...
Cited by 370 - Related articles - Library Search - All 5 versions

Simulating stable stochastic systems: III. Regenerative processes and **discrete-event** ...
MA Crane, DL Iglehart - Operations Research, 1975 - jstor.org
... SUPPOSE OUR **DISCRETE-EVENT** simulation can be represented as a stochastic process
{X ... assumption is that there exists an increasing **sequence** of **random** times 0 ...
Cited by 196 - Related articles - All 8 versions

[BOOK] Regenerative stochastic simulation
GS Shedler - 1993 - Academic Pr
Cited by 144 - Related articles - All 2 versions

On the perturbation analysis of **discrete-event** dynamic systems - ▶ umd.edu [PDF]
YC Ho - Journal of Optimization Theory and Applications, 1985 - Springer
... assumptions about the distributions of the **random events**. ... time) induces a **sequence**
of perturbations ... Costate Variables for **Discrete- Event** Systems, Proceedings ...
Cited by 639 - Related articles - All 15 versions

Distributed **discrete-event** simulation - ▶ kfupm.edu.sa [PDF]
J Misra - portal.acm.org
... Cars arrive at **random** times at the attendant ... Table 1. A **Sequence** of **Events** in the
Car Wash **Event** number Time **Event** 1 ... Distributed **Discrete-Event** Simulation I 45 ...
Cited by 770 - Related articles - All 14 versions

[PDF] ▶ DEMOS: a system for **discrete event** modelling on Simula
GM Birtwistle - 1985 - dcs.shef.ac.uk
... start to finish and not dipped into at **random**. ... In **discrete event** simulations, entities
may compete with each other for ... each other to perform a **sequence** of tasks ...
Cited by 232 - Related articles - View as HTML - All 5 versions

Waiting time problems for a **sequence** of **discrete random** variables
S Aki - Annals of the Institute of Statistical Mathematics, 1992 - Springer

... The **discrete** distributions of order k, which are ... but also finite (or infinite)
succession **events** simultaneously ... are iid, and finite valued **random** variables and ...
Cited by 32 - Related articles - All 5 versions

A GSMP formalism for **discrete event** systems

PW Glynn - Proceedings of the IEEE, 1989 - ieeexplore.ieee.org
... in order to allow the **discrete event** system to have **random** behavior.) We require
that the (S,, A,,)'s be related to the internal state **sequence** X via a ...
Cited by 175 - Related articles - All 4 versions

Goooooooooogle ▶

Result Page: 1 **2 3 4 5 6 7 8 9 10** **Next**

random discrete event sequence Search

Go to Google Home - About Google - About Google Scholar

©2009 Google

Google scholar [simulation timestep random scheduling]   Search   Advanced Scholar Search
                                                                       Scholar Preferences

Scholar All articles Recent articles   Results 1 - 10 of about **14,800**. (0.36 sec)

Did you mean: simulation **_time step_** random scheduling

Restructuring a parallel **simulation** to improve cache behavior in a shared-memory ... -
▶ kfupm.edu.sa [PDF]
DR Cheriton, HA Goosen, H Holbrook, P ... - ... . 7th Workshop on Parallel and Distributed Simulation, 1991 -
eprints.kfupm.edu.sa
... On each **time step**, each processor moves the particles in ... level TLB misses 1 per **timestep**
per processor ... important, especially for large **simulation**, assuming the ...
Cited by 40 - Related articles - View as HTML

Value function based production **scheduling** - ▶ kfupm.edu.sa [PDF]
JG Schneider, JA Boyan, AW Moore - In International Conference on Machine Learning, 1998 - eprints.kfupm.edu.sa
... The stochastic transition function applies a **simulation** of the ... each product by each
conturation on each **timestep**. ... restricted to 8 xed-size **time steps**) for this ...
Cited by 36 - Related articles - View as HTML - All 6 versions

... overflow block time-computer **simulation** of the effects of **scheduling** strategies on operating
... - ▶ anesthanalg.com
F Dexter, A Macario, L O'Neill - Anesthesia & Analgesia, 2000 - IARS
... Calculated by Using MCA Our result using Endpoint 1 was that for every **simulation**
our application of ... **Step** 1. The computer used a **random** number generator ...
Cited by 44 - Related articles - BL Direct - All 13 versions

LECSIM: a levelized event driven compiled logic **simulation** - ▶ baylor.edu [PDF]
Z Wang, PM Maurer - Proceedings of the 27th ACM/IEEE conference on ..., 1991 - portal.acm.org
... will complete the **simulation** in 3 **time steps** and 5 ... the event-driven interpretetive
unit-delay **simulator**, the average ... circuits is about 22% with **random** stimuli. ...
Cited by 61 - Related articles - All 5 versions

Adaptive job routing and **scheduling** - ▶ utexas.edu [PDF]
S Whiteson, P Stone - Engineering Applications of Artificial Intelligence, 2004 - Elsevier
... Each experiment runs for 20,000 **timesteps**. Each **simulation** is preceded by an additional
5,000 "warmup ... turned on and begins training only at **timestep** #0. The ...
Cited by 17 - Related articles - All 7 versions

Restructuring a parallel **simulation** to improve cache behavior in a shared-memory ... -
▶ psu.edu [PDF]
DR Cheriton, HA Goosen, H Holbrook, P ... - ACM SIGSIM Simulation Digest, 1993 - portal.acm.org
... moves more than a cell length in a **timestep**, and ... **step**, each processor moves the
particles in all the cells of ... least one neighbor precinct's **simulation** time. ...
Cited by 21 - Related articles - All 6 versions

Job **scheduling** and resource management techniques in economic grid environments
R Moreno, AB Alonso-Conde - Lecture Notes in Computer Science, 2004 - Springer
... 2, ..., n, where δt is the basic **simulation time-step**, ie δt ... one week (δt = 1/52),
ie, each **simulation** path is computed by a sequence of 52 **time steps**. ...
Cited by 10 - Related articles - BL Direct - All 3 versions

Modeling reward functions for incomplete state representations via echo state networks

K Bush, C Anderson - 2005 IEEE International Joint Conference on Neural ... - ieeexplore.ieee.org
... error for each network at each **timestep** was defined ... 1 , a training **schedule** of **random**
exploration versus ... The training run was 35,000 **simulation timesteps** for a ...
Cited by 18 - Related articles - All 2 versions

MASON: A multiagent **simulation** environment

S Luke, C Cioffi-Revilla, L Panait, K Sullivan, ... - Simulation, 2005 - sim.sagepub.com
... Volume 81, Number 7 SIMULATION 519 ... the time to the minimum agent-scheduled **time step**,
then steps ... may ma- nipulate its fields, **Schedule**, and **random**-number gen ...
Cited by 69 - Related articles - BL Direct - All 3 versions

[PDF] ▶ The swarm **simulation** system and individual-based modeling

D Hiebeler - Decision Support, 2001 - Citeseer
... object has its own dynamics;on each **timestep** it again ... On each **time step**, the behavior
of each plant is as ... The **simulation** was run for 2000 **time steps** on an N N ...
Cited by 81 - Related articles - View as HTML - All 5 versions

Did you mean to search for: simulation **_time step_** random scheduling

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

simulation timestep random schedul [Search]

Go to Google Home - About Google - About Google Scholar

©2009 Google

Google scholar | simulation "tasks per time step" | Search | Advanced Scholar Search
                       Scholar Preferences

Scholar All articles Recent articles   Results **1 - 9** of **9**. **(0.06 sec)**

Dynamic task allocation models for large distributed computing systems
HWD Chang, WJB Oldham - 1995 - doi.ieeecomputersociety.org
... by varying the task creation rate for each node from 2 to 10 **tasks per time step**. ...
A complete input data sets for the **simulation** presented in this paper are ...
Cited by 20 - Related articles - All 11 versions

Scheduling DAGs on asynchronous processors - ▶ sandia.gov [PDF]
MA Bender, CA Phillips - Proceedings of the nineteenth annual ACM symposium ..., 2007 - portal.acm.org
Page 1. Scheduling DAGs on Asynchronous Processors Michael A. Bender ∗
Department of Computer Science Stony Brook University Stony ...
Cited by 4 - Related articles - All 4 versions

The garbage can model of organisational behaviour: A theoretical reconstruction of some of ...
KG Troitzsch - **Simulation** Modelling Practice and Theory, 2008 - Elsevier
... **Simulation** Modelling Practice and Theory Volume 16, Issue 2, February 2008,
Pages 218-230 Simulating Organisational Processes. Font ...
Cited by 1 - Related articles - All 4 versions

[PDF] ▶ Paper IX
TCO structures by Using, MAB **Simulation** - Multi-Agent Systems for Container Terminal ... - Citeseer
... conduct one transport demand (and all its associated **tasks**) **per time step** and one ...
Corridor Organisation structures by Using Multi Agent-Based **Simulation** 243 by ...
Related articles - View as HTML - All 6 versions

[PDF] ▶ A Multi-Agent Learning Approach to Online Distributed Resource Allocation
C Zhang, V Lesser, P Shenoy - shelob.cs.umass.edu
Page 1. A Multi-Agent Learning Approach to Online Distributed Resource Allocation
Chongjie Zhang Computer Science Department University ...
Related articles - View as HTML - All 2 versions

[PDF] ▶ Contribution to the—Complex Systems and Social Simulations‖ Summer University ...
KG Troitzsch - uni-koblenz.de
... on **simulation** • Historical overview: from the 1960s to 2008 • Examples ... on **simulation** •
Historical overview: from the 1960s to 2008 • Examples ...
Related articles - View as HTML

[PDF] ▶ A Multi-Agent Learning Approach to Resource Sharing across Computing Clusters
C Zhang, V Lesser, P Shenoy - shelob.cs.umass.edu
Page 1. A Multi-Agent Learning Approach to Resource Sharing across Computing
Clusters Chongjie Zhang Victor Lesser Prashant Shenoy ...
Related articles - View as HTML - All 2 versions

Dynamic interaction between deformable surfaces and nonsmooth objects
WSK Wong, G Baciu - IEEE Transactions on Visualization and Computer ..., 2005 - ieeexplore.ieee.org
... of the surface that has the potential to interact with the object at the beginning
and the relative orientation will not be changed throughout the **simulation**. ...
Cited by 13 - Related articles - All 7 versions

Interactive Navigation of Heterogeneous Agents Using Adaptive Roadmaps

R Gayle, A Sud, E Andersen, SJ Guy, MC Lin ... - IEEE Transactions on Visualization and Computer ..., 2009 -
doi.ieeecomputersociety.org
... Realistic visual **simulation** of avatars requires modeling of group behaviors,
pedestrian dynamics, motion synthesis, and graphical rendering. **...**
Related articles - All 4 versions

simulation "tasks per time step"   Search

Go to Google Home - About Google - About Google Scholar

©2009 Google

Google scholar | simulation time step task pool | Search | Advanced Scholar Search
Scholar Preferences

Scholar All articles Recent articles   Results **1 - 10** of about **64,000**. (0.17 sec)

Randomized load balancing for tree-structured computation - ▶ **kfupm.edu.sa** [PDF]
S Chakrabarti, A Ranade, K Yelick - ... Computing Conference, 1994., Proceedings of the, 1994 - ieeexplore.ieee.org
... strategy results in parallel running **time** that is ... These results represent a **step**
towards bridging the ... Tree structured **task** graphs arise frequently in paradigms ...
Cited by 40 - Related articles - All 6 versions

SPLASH: Stanford parallel applications for shared-memory - ▶ **stanford.edu** [PDF]
JP Singh, WD Weber, A Gupta - portal.acm.org
... The **simulation** is performed for many **time-steps** until ... thirty grid **tasks** are performed
every **time-step**, each of ... Every grid **task** sweeps through the entire ocean ...
Cited by 1060 - Related articles - All 11 versions

[PDF] ▶ Simultaneous design of membership functions and rule sets for fuzzy controllers using ...
A Homaifar, E McCormick - IEEE Transactions on Fuzzy Systems, 1995 - sci2s.ugr.es
... GA's select parents from a **pool** of strings (population ... adaptive controller were always
able to complete the **task**. ... T) = v(t) + 7- m where T is the **time step**. ...
Cited by 391 - Related articles - View as HTML - All 4 versions

Approximate accelerated stochastic **simulation** of chemically reacting systems - ▶ **ucsc.edu** [PDF]
DT Gillespie - The Journal of Chemical Physics, 2001 - link.aip.org
... It often happens in a **simulation** that a specified event becomes ... τ leap with which
is the expected **time** for firings ... if ever the need should arise to **step** by an ...
Cited by 456 - Related articles - BL Direct - All 8 versions

The **simulation** of cluster tools: a new semiconductor manufacturing technology
HT LeBaron, M Pool, AS Inc, UT Bountiful - Simulation Conference Proceedings, 1994. Winter, 1994 -
ieeexplore.ieee.org
... 130,100 and 40 seconds respectively), making the third **step** longer ... desired WPH and
at the same **time** avoid wasteful ... has led to the need for **simulation** in order ...
Cited by 29 - Related articles - All 3 versions

Xtremweb: A generic global computing system - ▶ **kfupm.edu.sa** [PDF]
G Fedak, C Germain, V Neri, F Cappello - Proceedings of the IEEE International Symposium on ..., 2001 -
doi.ieeecomputersociety.org
... At this **step** of our work and of the Auger ... that a remote host would stay available
during this **time**. ... The **simulation** can continue from the saved state on the ...
Cited by 239 - Related articles - All 13 versions

Spacetime constraints revisited - ▶ **psu.edu** [PDF]
JT Ngo, J Marks - portal.acm.org
... Thetimestep size andtotal **simulation time** are Δ t and T , respectively; and the
quantities ... E F **Time** "Left" Figure 8: Beryl walks, but one **step** (C–D–E) is ...
Cited by 206 - Related articles - BL Direct - All 12 versions

A practical approach to dynamic load balancing - ▶ **psu.edu** [PDF]
J Watts, S Taylor - IEEE Transactions on Parallel and Distributed Systems, 1998 - ieeexplore.ieee.org
... plug-and-play" fashion with different strategies at each of the above **steps**, allowing
the ... In a particle **simulation**, for example, the **time** required in ...
Cited by 154 - Related articles - BL Direct - All 13 versions

Marking **time**: Predictable transitions in **task** groups

CJG Gersick - Academy of Management Journal, 1989 - jstor.org

... The **Simulation** ... catalyzes transitions, so moments when members remarked on the **time**
were starred ... moving or appeared to take an especially significant **step** forward ...

Cited by 482 - Related articles - All 4 versions

[PDF] ▶ A model of the software development process using both continuous and discrete models

RH Martin, D Raffo - Software Process: Improvement and Practice, 2000 - Citeseer

... 91] and the discrete event ISPW-6 **simulation** model developed by ... As each **task** occurs,
the model attempts to ... Staff are re-allocated at each continuous **time step**. ...

Cited by 51 - Related articles - View as HTML - BL Direct - All 7 versions

Goooooooooogle ▶

Result Page: 1 **2 3 4 5 6 7 8 9 10**   **Next**

| simulation time step task pool | Search |

Go to Google Home - About Google - About Google Scholar